

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/644,777	08/23/2000	Roger P. Jackson	10,033	1641
John C McMah	7590 07/13/200	7	EXAMINER	
P O Box 30069			STOKES, CANDICE CAPRI	
Kansas City, M	10 64112		ART UNIT	PAPER NUMBER
			3732	
			MAIL DATE	DELIVERY MODE
			07/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	H				
	Application No.	lication No. Applicant(s)			
•	09/644,777	JACKSON, ROGER P.			
Office Action Summary	Examiner	Art Unit			
	Candice C. Stokes	3732			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONEI	I. lely filed the mailing date of this co D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 19 Ag This action is FINAL . 2b) ☐ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final.		merits is		
Disposition of Claims					
4) Claim(s) 1-7,9-26,50 and 51 is/are pending in to 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-7,9-26,50 and 51 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers	' 				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CF			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National :	Stage		
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

1) Claims 1-7,9-10,12-26 and 50-51 are rejected under 35 U.S.C. 102(e) as being anticipated by Morison et al. (USPN 6,296,642). Morrison et al. discloses a medical implant with head 11, spaced arms and, a "closure member 12 adapted to be threadedly engaged" having a "generally cylindrical" portion, a clear implication that the threads are helically wound about the body of the implant in a continuous manner (column 3, lines 50 & 66). In column 3, lines 54-59, Morrison et al further disclose a second implant, "a receiver member 11" which "includes a longitudinal or thread axis". This device also includes "a transverse channel 16 for receiving an elongated member, which is generally perpendicular to axis 14 and bore 15". In lines 35-42 of column 4, Morrison et al disclose that "threads 44 and 46 are reverse angle threads" meaning

Application/Control Number: 09/644,777

Art Unit: 3732

that the "rearward-facing thread surface" is "sloped so that, for a given cross-section of the thread through the longitudinal axis of the screw, a point is closer to the distal or forward end of the screw that a point on the rearward-facing thread surface at the crest of the thread". Further, with respect to Claims 2-6, "in one particular embodiment of the present invention, illustrated in Fig. 4, pressure angle α is -5 degrees, and flank angle β is 45 degrees. However, it is understood that one of ordinary skill in the art would recognize that other negative values of pressure angle α, including values between about -1 degree and at least -40 degrees, and other values of flank angle β are within the scoped of the present invention. As noted above, reverse angel thread 44 of receiver member 11 is configured substantially similarly to reverse angle thread 46 of closure member 12 so that threads 44 and 46 can be engaged" (col. 4, lines 64-67 & col. 5, lines 1-7). In addition, "channel 16 is bounded on both sides by legs 20 of receiver member 11". In regards to Claims 14-16, as shown in Figures 1-3 of Morrison et al, the leading and trailing surfaces are spaced at substantially the same radius creating a generally obtuse triangular cross-section. Referring again to the Figures presented by Morrison et al, it is clear that Claims 21 are anticipated by Figures 1-3 where β and α are shown to create a cross-section generally triangular in shape.

Page 3

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in

manner in which the invention was made.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Morrison et al in

view of Reed (USPN 5,499,892). Morrison et al discloses the claimed invention except for the

threadform is a discontinuous helical pattern. Reed teaches a threadform with a helical

discontinuous pattern. It would have been obvious to one having ordinary skill in the art at the

time of the invention to incorporate the helical discontinuous pattern of the threadform taught by

Reed into the threaded implant disclosed by Morrison et al in order to prevent easy removal of

the closure from the implant thereby providing an increased interference fit.

Response to Amendment

The Declaration filed on 04/19/07 under 37 CFR 1.131 has been considered but is

ineffective to overcome the Morrison reference. The evidence submitted is insufficient to

establish a reduction to practice of the invention in this country or a NAFTA or WTO member

country prior to the effective date of the Morrison reference. The evidence submitted with the

present Declaration is insufficient to establish a reduction to practice prior to the effective filing

date of the Morrison reference.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Candice C. Stokes whose telephone number is (571) 272-4714. The examiner can normally be reached on 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on (571) 272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/644,777 Page 6

Art Unit: 3732

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Candice C. Stokes

CRIS RODRIGUEZ
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700